

Material Name: Graphite with Oxidation Inhibitor: E2

SDS ID: 0146 (MEXICO)

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Graphite with Oxidation Inhibitor: E2 **Product Use** Industrial and Glass Applications **Restrictions on Use** None known. **Details of the supplier of the safety data sheet** Entegris, Inc.

129 Concord Road Building 2 Billerica, MA 01821 USA

Telephone Number: +1-952-556-4181 Telephone Number: +1-800-394-4083 (toll free within North America)

Emergency Telephone Number: CHEMTREC – Mexico - 800-681-9531 CHEMTREC - Intl. - 1-703-527-3887 E-mail: Product.stewardship@entegris.com

SECTION 2: Hazards identification

Classification in accordance with NOM-018-STPS-2015

None needed according to classification criteria. **GHS Label Elements**

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

When processed by milling, grinding, sawing, burning or other similar processes the generated dust, fines, fume or mist may pose a hazard through inhalation, ingestion or by eye or skin contact. May form combustible dust concentrations in air (during handling or processing).

SECTION 3: Composition / information on ingredients



Material Name: Graphite with Oxidation Inhibitor: E2

SDS ID: 0146 (MEXICO)

CAS	Component Name	Percent
7782-42-5	Graphite	95-97
Not available	Zinc phosphate glass	3-5

SECTION 4: First aid measures

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin

Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Fire fighting measures

Extinguishing Media

Suitable Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

Unsuitable Extinguishing Media

high-pressure water streams

Special Hazards Arising from the Chemical

Negligible fire hazard.

Hazardous Combustion Products

oxides of carbon, oxides of phosphorus, oxides of zinc

Advice for firefighters

Negligible fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not scatter spilled material with highpressure water streams. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Dike for later disposal.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

SECTION 6: Accidental release measures



Material Name: Graphite with Oxidation Inhibitor: E2

SDS ID: 0146 (MEXICO)

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment. Minimize dust generation and accumulation. Keep unnecessary people away, isolate hazard area and deny entry. Provide adequate ventilation. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Non-sparking tools should be used when working with dust. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Environmental Precautions

Avoid release to the environment. Collect spillage.

Methods and Materials for Containment and Cleaning Up

Do not touch or walk through spilled material. Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. If sweeping of a contaminated area is necessary, use a dust suppressant agent. Collect spill using a vacuum cleaner with a HEPA filter or wet and scoop up dry spills. Avoid sweeping spilled dry material. Eliminate ignition sources including sources of electrical, static or frictional sparks. Keep out of water supplies and sewers. Prevent entry into waterways, sewers, basements, or confined areas. Avoid accumulation of airborne dusts. Small spills: Move containers away from spill to a safe area. Vacuum or sweep up material and place in a designated, labeled waste container. Large spills: If emergency personnel are unavailable vacuum or carefully scoop up spilled materials and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal.

SECTION 7: Handling and storage

Precautions for Safe Handling

Avoid breathing dust. Wash thoroughly after handling. Avoid contact with eyes, skin and clothing.

Conditions for Safe Storage, Including any Incompatibilities

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated area. Keep container tightly closed. Keep separated from incompatible substances. Maintain graphite blocks in stable position. Any machine generated dust should be maintained in closed container. Maintain blocks as shipped, no specific handling or storage identified. Dust or powder from machining process should be kept in closed container.

Incompatible Materials

oxidizing materials

SECTION 8: Exposure controls/personal protection

Component Exposure Limits

Graphite	7782-42-5						
Mexico:	2 mg/m3 TWA [VLE-PPT] (synthetic and natural)						
ACGIH:	2 mg/m3 TWA (all forms except graphite fibers) respirable particulate matter						

Mexico - Biological Exposure Indices

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Ensure compliance with applicable exposure limits.



Material Name: Graphite with Oxidation Inhibitor: E2

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection Wear safety glasses.

wear salety gla

Skin Protection

Wear appropriate chemical resistant clothing.

Respiratory Protection

SCBA with full face piece should be available in case of emergency.

Glove Recommendations

Wear appropriate chemical resistant gloves.

SECTION 9: Physical and chemical properties

Appearance	gray to black solid	Physical State	solid
Odor	odorless	Color	gray to black
Odor Threshold	Not available	рН	Not available
Melting Point	Not available	Boiling Point	3648.9 °C
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable
Autoignition Temperature	Not available	Flash Point	(Not flammable)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	(Insoluble)	Partition coefficient: n- octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	1.6 - 1.9 g/cc
Physical Form	solid	Sublimation	3650 °C
Molecular Weight	Not available		

SECTION 10: Stability and reactivity

Reactivity

No reactivity hazard is expected. **Chemical Stability** Stable at normal temperatures and pressure. **Possibility of Hazardous Reactions** Will not polymerize.



Material Name: Graphite with Oxidation Inhibitor: E2

Conditions to Avoid

Avoid accumulation of airborne dusts. Avoid contact with incompatible materials.

Incompatible Materials

oxidizing materials

Hazardous decomposition products

Thermal decomposition products

oxides of carbon, oxides of phosphorus, oxides of zinc

SECTION 11: Toxicological information

Information on Likely Routes of Exposure Inhalation No information on significant adverse effects. **Skin Contact** No information on significant adverse effects. **Eye Contact** No information on significant adverse effects. Ingestion No information on significant adverse effects. Acute and Chronic Toxicity **Component Analysis - LD50/LC50** The components of this material have been reviewed in various sources and no selected endpoints have been identified. **Product Toxicity Data** Acute Toxicity Estimate No data available. **Immediate Effects** No information on significant adverse effects. **Delaved Effects** No information on significant adverse effects. **Irritation/Corrosivity Data** No data available. **Respiratory Sensitization** No data available. **Dermal Sensitization** No data available. **Component Carcinogenicity** None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA. Germ Cell Mutagenicity No data available for the mixture. **Tumorigenic Data** No data available for the mixture. **Reproductive Toxicity** No data available for the mixture. Specific Target Organ Toxicity - Single Exposure No data available. Specific Target Organ Toxicity - Repeated Exposure Aspiration hazard No data available. **Medical Conditions Aggravated by Exposure** No data available.



Material Name: Graphite with Oxidation Inhibitor: E2

SDS ID: 0146 (MEXICO)

SECTION 12: Ecological information

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No data available for the mixture.

Bioaccumulative Potential

No data available for the mixture.

Mobility in soil

No data available for the mixture.

Other Toxicity

No data available.

SECTION 13: Disposal considerations

Disposal Methods

Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

IATA Information:

UN#: Not regulated

ICAO Information:

UN#: Not regulated

IMDG Information:

UN#: Not regulated

Mexico Information:

UN#: Not regulated

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

SECTION 15: Regulatory information

Mexico Controlled Chemical Precursors and Essential Chemicals
None of this product's components are on the list.
Mexico Pollutant Release and Transfer Register - Reporting Emissions
None of this product's components are on the list
Mexico Workplace Threshold Quantities of Hazardous Chemicals
None of this product's components are on the list.
Rotterdam Convention
No components of this material are listed.
Montreal Protocol
No components of this material are listed.
Stockholm Convention
No components of this material are listed.
Component Analysis - Inventory



Material Name: Graphite with Oxidation Inhibitor: E2

SDS ID: 0146 (MEXICO)

Graphite (7782-42-5)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	No	No	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	No	Yes	Yes

Zinc phosphate glass (Not available)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	No	No	No	No	No	No

SECTION 16: Other information

NFPA Ratings

Health: 1 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

4/27/2021 - Update to Section(s) 1.

Preparation Date

02/15/2016

Revision date

4/27/2021

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC – European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition



Material Name: Graphite with Oxidation Inhibitor: E2

coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

The information in this (Material) Safety Data Sheet ("(M)SDS") is believed to be current and accurate as of the time of shipment of the product by Entegris. Entegris makes no warranties, express or implied, with respect to such information, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. Entegris assumes no liability for any loss or injury which may result from the use of the information contained in this (M)SDS. The chemical, physical and toxicological properties of the Entegris product described in this (M)SDS have not been thoroughly investigated. Users are responsible for exercising due care in using the Entegris product, and for conducting their own investigation to determine whether the product is fit for their particular purpose and suitable for their method of use or application. It is the user's responsibility to ensure that its activities comply with all applicable laws and regulations. Entegris is a registered trademark of Entegris Inc. or an affiliated company. © 2015 Entegris Inc. or affiliated company. All rights reserved.

The information within is considered correct but is not exhaustive and will be used for guidance only, which is based on the current knowledge of the substance or mixture and is applicable to the appropriate safety precautions for the product.