

Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated -

Industrial Grade

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SDS ID: 0139 (JAPAN)

Material Name

Poco Graphite Synthetic Graphite - Copper Impregnated - Industrial Grade

Details of the supplier of the safety data sheet

Entegris, Inc.

129 Concord Road

Building 2

Billerica, MA 01821

USA

Telephone Number: +1-952-556-4181

Telephone Number: +1-800-394-4083 (toll free within North America)

日本インテグリス株式会社

〒108-0073 東京都港区三田1-4-28 三田国際ビルデング

電話番号: 03-5442-9718

緊急連絡先: 03-4520-9637(CHEMTREC)

電子メール: Product.stewardship@entegris.com

Product Description

This SDS covers the following Industrial Grades: AXF-5QC

Recommended Use

Industrial application

Restrictions on Use

None known.

SECTION 2: Hazards identification

GHS Classification

None needed according to classification criteria.

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal word

None needed according to classification criteria

Hazard statements

None needed according to classification criteria.

Precautionary statements

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Page 1 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated -

Industrial Grade

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SDS ID: 0139 (JAPAN)

Potential Environmental Effects

Very toxic to aquatic life with long lasting effects.

Other Hazards Which Do Not Result in Classification

When processed by milling, grinding, welding, melting, sawing, brazing, burning or other similar processes the generated dust, fines, fume or mist may pose a hazard through inhalation, ingestion or by eye or skin contact. May form combustible dust concentrations in air (during handling or processing). Small chips and dust generated by processes may be environmentally hazardous and toxic to aquatic life. SECTION 16: Other information.

SECTION 3: Composition / information on ingredients

CAS	Component Name	Percent	Japan ENCS Inventory #	Japan ISHL Inventory #
7782-42-5	Graphite	40-60		
7440-50-8	Copper	40-60		

SECTION 4: First aid measures

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin

Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Symptoms: Immediate

respiratory tract irritation, allergic reactions, digestive tract damage

Symptoms: Delayed

allergic reactions

Self-protection of the first aider

Wear suitable protective clothing. Perform first aid measures in a safe area.

SECTION 5: Firefighting measures

Suitable extinguishing media

Use extinguishing agents appropriate for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

Page 2 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated -

Industrial Grade

Negligible fire hazard. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

SDS ID: 0139 (JAPAN)

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. Use extinguishing agents appropriate for surrounding fire. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Avoid inhalation of material or combustion by-products. Dike for later disposal.

Combustion

oxides of carbon, oxides of copper

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

SECTION 6: Accidental release measures

Personal precautions

Wear personal protective clothing and equipment. Minimize dust generation and accumulation. Keep unnecessary people away, isolate hazard area and deny entry. Provide adequate ventilation. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Non-sparking tools should be used when working with dust. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Environmental precautions

Avoid release to the environment. Collect spillage.

Methods and Materials for Containment and Cleaning Up

Do not touch or walk through spilled material. Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. If sweeping of a contaminated area is necessary, use a dust suppressant agent. Collect spill using a vacuum cleaner with a HEPA filter or wet and scoop up dry spills. Avoid sweeping spilled dry material. Eliminate ignition sources including sources of electrical, static or frictional sparks. Keep out of water supplies and sewers. Prevent entry into waterways, sewers, basements, or confined areas. Avoid accumulation of airborne dusts. Small spills: Move containers away from spill to a safe area. Vacuum or sweep up material and place in a designated, labeled waste container. Large spills: If emergency personnel are unavailable vacuum or carefully scoop up spilled materials and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal.

SECTION 7: Handling and storage

Handling Procedures

Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves. Contaminated work clothing must not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions.

Storage Procedures

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances. Maintain graphite blocks in stable position. Any machine generated dust should be maintained in closed container. Maintain blocks as shipped, no specific handling or storage identified. Dust or powder from machining process should be kept in closed container.

Page 3 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated -

Industrial Grade

Incompatibilities

acids, oxidizing materials

SECTION 8: Exposure controls/personal protection

SDS ID: 0139 (JAPAN)

Component Exposure Limits

Graphite	7782-42-5
JSOH:	2 mg/m3 OEL (Class 1 Dust) total dust ; 0.5 mg/m3 OEL (Class 1 Dust) respirable dust
ACGIH:	2 mg/m3 TWA (all forms except graphite fibers) respirable particulate matter
Copper	7440-50-8
ACGIH:	0.2 mg/m3 TWA fume

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering controls

Provide local exhaust or process enclosure ventilation system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Ensure compliance with applicable exposure limits.

Eye protection

Wear safety glasses. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Body protection

Wear appropriate chemical resistant clothing.

Hand protection

Wear appropriate chemical resistant gloves.

Respiratory Protection

SCBA with full face piece should be available in case of emergency.

SECTION 9: Physical and chemical properties

Appearance	gray to black solid block	Physical State	solid
Odor	odorless	Color	gray to black
Odor Threshold	Not available	рН	Not available
Melting Point	1083 °C (Copper)	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable
Autoignition Temperature	Not available	Flash Point	(Not flammable)

Page 4 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated -**SDS ID: 0139 (JAPAN)**

Industrial Grade

Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	(Insoluble)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	2.8 - 3.5 g/cc

3648.9 °C **Physical Form** solid block **Sublimation** (graphite)

Molecular Weight Not available

SECTION 10: Stability and reactivity

Reactivity

No reactivity hazard is expected.

Stable at normal temperatures and pressure.

Possibility of hazardous reactions

Will not polymerize.

Conditions to avoid

Avoid accumulation of airborne dusts. Avoid contact with incompatible materials.

Incompatible materials

acids, oxidizing materials

Hazardous decomposition products

Thermal decomposition products

oxides of carbon, oxides of copper

SECTION 11: Toxicological information

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Acute Toxicity Estimate

No data available.

Immediate Effects

respiratory tract irritation, allergic reactions, digestive tract damage

Delayed Effects

allergic reactions

Skin Corrosivity/Irritation Data

No information on significant adverse effects.

Serious Eye Damage/Eye Irritation

Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01 Page 5 of 10



SDS ID: 0139 (JAPAN)

Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated - Industrial Grade

No information on significant adverse effects.

Respiratory Sensitization

No data available.

Dermal Sensitization

Component data indicate the substance is sensitizing.

Germ Cell Mutagenic Data

No data available for the mixture.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Reproductive Effects Data

No data available for the mixture.

Tumorigenic Data

No data available for the mixture.

Specific Target Organ Toxicity - Single Exposure

respiratory system, digestive system

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

respiratory disorders, skin disorders and allergies

Additional Data

No data available.

SECTION 12: Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Analysis - Aquatic Toxicity

Copper	7440-50-8
Fish:	LC50 96 h Pimephales promelas 0.0068 - 0.0156 mg/L; LC50 96 h Pimephales promelas <0.3 mg/L [static]; LC50 96 h Pimephales promelas 0.2 mg/L [flow-through]; LC50 96 h Oncorhynchus mykiss 0.052 mg/L [flow-through]; LC50 96 h Lepomis macrochirus 1.25 mg/L [static]; LC50 96 h Cyprinus carpio 0.3 mg/L [semi-static]; LC50 96 h Cyprinus carpio 0.8 mg/L [static]; LC50 96 h Poecilia reticulata 0.112 mg/L [flow-through]
Algae:	EC50 72 h Pseudokirchneriella subcapitata 0.0426 - 0.0535 mg/L [static] EPA ; EC50 96 h Pseudokirchneriella subcapitata 0.031 - 0.054 mg/L [static] EPA
Invertebrate:	EC50 48 h Daphnia magna 0.03 mg/L [Static] EPA

Persistence and degradability

No data available for the mixture.

Bioaccumulative potential

No data available for the mixture.

Mobility in soil

No data available for the mixture.

Other adverse effects

Page 6 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated -

Industrial Grade

No information available for the product.

SECTION 13: Disposal considerations

SDS ID: 0139 (JAPAN)

Waste residues

Wastes should be treated and disposed by professionals certified by the governor of the local government, and hazards of the waste must be communicated sufficiently.

Disposal of Contaminated Packaging

Dispose in accordance with all applicable local regulations. When containers are empty, make sure all residues must be cleaned before disposal.

SECTION 14: Transport information

International Regulations

IATA Information:

UN#: Not regulated

ICAO Information:

UN#: Not regulated

IMDG Information:

UN#: Not regulated

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Domestic Regulations

Land transportation

The product shall be packaged and shipped in accordance with Fire Service Act, Poisonous and/or Deleterious Substances Control Law.

Water transportation

The product shall be packaged and shipped in accordance with Ship Safety Act

Air transportation

The product shall be packaged and shipped in accordance with Civil Aeronautic Act.

Emergency Guidance Number

Not relevant

SECTION 15: Regulatory information

Japan Regulations

Industrial Safety and Health Law

The following substances are recognized as harmful according to the Enforcement Order of Industrial Safety and Health as administered by the Industrial Safety and Health Department in the Labor Standards Bureau of the ministry of Health, Labour and Welfare of Japan:

Copper	7440-50-8
Harmful Substances Whose Names are to be indicated on label:	>=1 % weight
SDS preparation is required:	>=0.1 % weight

Page 7 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated -

Industrial Grade

Japan Designated Chemical Substances (PRTR Law)

No components are subject to reporting requirements as specified by the "Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management" and are not included in the "Pollutant Release and Transfer Register (PRTR)" of designated chemicals.

SDS ID: 0139 (JAPAN)

Poisonous and Deleterious Substances Control Law

This product is classified in accordance with the Poisonous and Deleterious Substances Control Law. None of the components of this product are regulated as a poisonous or deleterious substance.

Fire Service Law - Product

Not applicable

Civil Aeronautics Act

Not regulated

Ship Safety Act

Not regulated

Noxious Liquid Substances. - Cat. Y:

Act on Port Regulations

Not regulated

Japan Water Pollution Control Law

Copper	7440-50-8
Designated substance	Cabinet Order Article 3-3 Number 53

Component Analysis - Inventory

Graphite (7782-42-5)

	Suprice (7,02,12,0)													
US	CA	EU	A U	РН	JP - ENC S	JP - ISH L	KR KECI - Anne x 1	-	KR - REAC H CCA	CN	NZ	M X	T W	VN (Draft)
Ye s	DS L	EI N	Ye s	Ye s	No	No	Yes	No	No	Ye s	Ye s	Ye s	Ye s	Yes

Copper (7440-50-8)

US	CA	EU	A U	РН	JP - ENC S	JP - ISH L	KR KECI - Anne x 1	-	KR - REAC H CCA	CN	NZ	M X	T W	VN (Draft
Ye s	DS L	EI N	Ye s	Ye s	No	No	Yes	No	No	Ye s	Ye s	Ye s	Ye s	Yes

SECTION 16: Other information

NFPA Ratings

Page 8 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated - SDS ID: 0139 (JAPAN)

Industrial Grade

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

11/1/2017 - Update to Section(s) 3, 8, 11. Section 3 update: Replaced CAS #7440-44-0 with CAS #7782-42-5

Preparation Date

05/16/2016

Revision date

11/1/2017

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP -Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM -ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL -Maximum Exposure Limits; MX – Mexico; NDSL – Non-Domestic Substance List (Canada); NFPA -National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA -Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA -United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN NCI (Draft) - Vietnam National Chemicals Inventory (NCI) (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

The information in this (Material) Safety Data Sheet ("(M)SDS") is believed to be current and accurate as of the time of shipment of the product by Entegris. Entegris makes no warranties, express or implied, with respect to such information, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. Entegris assumes no liability for any loss or injury which may result from the use of the information contained in this (M)SDS. The chemical, physical and toxicological properties of the

Page 9 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01



Material Name: Poco Graphite Synthetic Graphite - Copper Impregnated - Industrial Grade

Entegris product described in this (M)SDS have not been thoroughly investigated. Users are responsible for exercising due care in using the Entegris product, and for conducting their own investigation to determine whether the product is fit for their particular purpose and suitable for their method of use or application. It is the user's responsibility to ensure that its activities comply with all applicable laws and regulations. Entegris is a registered trademark of Entegris Inc. or an affiliated company. © 2015 Entegris Inc. or affiliated company. All rights reserved.

SDS ID: 0139 (JAPAN)

When processed by milling, grinding, welding, melting, sawing, brazing, burning or other similar processes the generated dust, fines, fume or mist may pose a hazard through inhalation, ingestion or by eye or skin contact. Combustible Dust; Skin Sensitization Category 1; Specific Target Organ Toxicity - Single Exposure Category 1: digestive tract; Specific Target Organ Toxicity - Single Exposure Category 3: respiratory system; Hazardous to the Aquatic Environment - Acute Category 1; Hazardous to the Aquatic Environment - Chronic Category 1.

Page 10 of 10 Issue date: 2017-11-01 Revision 2.0 Print date: 2017-11-01