

Material Name: Pyrolytic Carbon Coated Graphite

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Material Name Pyrolytic Carbon Coated Graphite Details of the supplier of the safety data sheet Entegris, Inc. 129 Concord Road Building 2 Billerica, MA 01821 USA

Telephone Number: +1-952-556-4181 Telephone Number: +1-800-394-4083 (toll free within North America)

Emergency Telephone Number: Chemtrec Local in Country (Tel Aviv) (972)-37630639 Chemtrec International 1-703-527-3887 E-mail: Product.stewardship@entegris.com

SECTION 2: Ingredients

CAS	Component Name	Percent		
7782-42-5	Graphite	99.5-100		

Impurities and stabilizing additives contributing to the GHS Classification None

SECTION 3: Hazard Identification

GHS Classification

None needed according to classification criteria.

Label elements

Hazard symbols

None needed according to classification criteria.

Signal word

None needed according to classification criteria

Hazard statements

None needed according to classification criteria.

Precautionary statements

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



Material Name: Pyrolytic Carbon Coated Graphite

Other Hazards Which Do Not Result in Classification

None known.

SECTION 4: First aid measures

Description of Necessary Measures

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin contact

Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

Eye contact

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Symptoms: Immediate

No information on significant adverse effects.

Symptoms: Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

Suitable extinguishing media

Use extinguishing agents appropriate for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

Negligible fire hazard.

Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Dike for later disposal.

Hazardous Combustion Products

Oxides of carbon

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protective clothing and equipment. Minimize dust generation and accumulation. Keep unnecessary people away, isolate hazard area and deny entry. Provide adequate ventilation. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid the creation of dust when handling and avoid all



Material Name: Pyrolytic Carbon Coated Graphite

SDS ID: 0152 (ISRAEL)

possible sources of ignition (spark or flame). Non-sparking tools should be used when working with dust. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Environmental precautions

Avoid release to the environment.

Methods for Containment

Keep unnecessary people away, isolate hazard area and deny entry. If sweeping of a contaminated area is necessary, use a dust suppressant agent. Collect spill using a vacuum cleaner with a HEPA filter or wet and scoop up dry spills. Avoid sweeping spilled dry material. Eliminate ignition sources including sources of electrical, static or frictional sparks. Keep out of water supplies and sewers. Prevent entry into waterways, sewers, basements, or confined areas. Avoid accumulation of airborne dusts. Small spills: Move containers away from spill to a safe area. Vacuum or sweep up material and place in a designated, labeled waste container. Large spills: If emergency personnel are unavailable vacuum or carefully scoop up spilled materials and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. **Conditions for safe storage, including any incompatibilities**

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated area. Keep container tightly closed. Keep separated from incompatible substances. Maintain graphite blocks in stable position. Any machine generated dust should be maintained in closed container. Maintain blocks as shipped, no specific handling or storage identified. Dust or powder from machining process should be kept in closed container.

Incompatible Materials

oxidizing materials

SECTION 8: Exposure controls/personal protection

Exposure Guidelines Component Exposure Limits

Graphite	7782-42-5
ACGIH:	2 mg/m3 TWA (all forms except graphite fibers) respirable particulate matter
OSHA (US):	15 mg/m3 TWA (synthetic) total dust ; 5 mg/m3 TWA (synthetic) respirable fraction
OSHA (Vacated):	10 mg/m3 TWA (synthetic) total dust ; 5 mg/m3 TWA (synthetic) respirable fraction
Israel:	2 mg/m3 TWA respirable fraction, all forms except graphite fibers

Biological limit value

There are no biological limit values for any of this product's components.

Appropriate engineering controls



Material Name: Pyrolytic Carbon Coated Graphite

SDS ID: 0152 (ISRAEL)

Provide local exhaust ventilation system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection

SCBA with full face piece should be available in case of emergency.

Hand protection

Wear appropriate chemical resistant gloves.

Eye/face protection

Wear safety glasses.

Skin and Body Protection

Wear appropriate chemical resistant clothing.

Appearance	gray to black solid	Physical State	solid		
Odor	odorless	Color	gray to black		
Odor Threshold	Not available	рН	Not available		
Melting Point	3150 °C	Boiling Point	Not available		
Boiling Point Range	Not available	Freezing point	Not available		
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable		
Autoignition Temperature	Not available	Flash Point	(Not flammable)		
Lower Explosive Limit	Not available	Decomposition temperature	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	Not available		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available		
Water Solubility	(Insoluble)	Partition coefficient: n- octanol/water	Not available		
Viscosity	Not available	Kinematic viscosity	Not available		
Solubility (Other)	Not available	Density	1.4 - 2 g/cc		
Physical Form	solid	Molecular Weight	Not available		

SECTION 9: Physical and chemical properties

SECTION 10: Stability and reactivity

Reactivity

No reactivity hazard is expected.

Chemical stability

Stable at normal temperatures and pressure.



Material Name: Pyrolytic Carbon Coated Graphite

Possibility of hazardous reactions

Will not polymerize.

Conditions to avoid

Avoid accumulation of airborne dusts. Avoid contact with incompatible materials.

Materials to Avoid (Incompatibilities)

oxidizing materials

Hazardous decomposition products

Thermal decomposition products

Oxides of carbon

SECTION 11: Toxicological information

Information on Likely Routes of Exposure Inhalation
No information on significant adverse effects.
Skin
No information on significant adverse effects.
Eye
No information on significant adverse effects.
Ingestion
No information on significant adverse effects.
Component Analysis - LD50/LC50
The components of this material have been reviewed in various sources and no selected endpoints have been
identified.
Acute Toxicity Estimate
No data available.
Immediate Effects
No information on significant adverse effects.
Delayed Effects
No information on significant adverse effects.
Irritation/Corrosivity Data
No data available.
Respiratory Sensitization
No data available.
Dermal Sensitization
No data available.
Component Carcinogenicity
None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA
Mutagenic Data
No data available.
Reproductive Effects Data
No data available.
Tumorigenic Data
No data available.
Specific Target Organ Toxicity - Single Exposure
No data available.
Specific Target Organ Toxicity - Repeated Exposure
No data available.
Aspiration hazard
No data available.
Medical Conditions Aggravated by Exposure



Material Name: Pyrolytic Carbon Coated Graphite

No data available.

SECTION 12: Ecological information

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Other Ecotoxicity Information

No data available.

Mobility in soil

No data available.

Persistence and Degradability

No data available.

Bioaccumulative potential No data available.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal Methods

Dispose in accordance with all applicable regulations.

Contaminated packaging disposal

Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

IATA Information:

UN#: Not regulated

ICAO Information:

UN#: Not regulated

IMDG Information:

UN#: Not regulated

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Special precautions

None

SECTION 15: Regulatory information

Environmental Protection Law - Pollutant Release and Transfer Register (PRTR) - Threshold Quantities None of this product's components are on the list

Risk Management for Hazardous Materials - Separation Distances in Stationary Hazardous Sources - Toxic Substances

None of this product's components are on the list

Risk Management for Hazardous Materials - Policy of Accidental Release Prevention - Flammable Substances

None of this product's components are on the list



SDS ID: 0152 (ISRAEL)

Material Name: Pyrolytic Carbon Coated Graphite

Risk Management for Hazardous Materials - Policy of Accidental Release Prevention - Propellant Substances None of this product's components are on the list

Component Analysis - Inventory Graphite (7782-42-5)

US	CA	EU	A U	PH	JP - ENC S	JP - ISH L	KR KECI - Anne x 1	-	KR - REAC H CCA	CN	NZ	M X	T W	VN (Draft)
Ye s	DS L	EI N	Ye s	Ye s	No	No	Yes	No	No	Ye s	Ye s	Ye s	Ye s	Yes

SECTION 16: Other information

NFPA Ratings

Health: 0 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

11/29/2017 - Update to Section(s) 2. Section 3 update: Replaced CAS #7440-44-0 with CAS #7782-42-5.

Preparation Date

04/05/2016

Revision date

11/29/2017

Product Use

Semiconductor and industrial applications

Restrictions on Use

None known.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-



Material Name: Pyrolytic Carbon Coated Graphite

SDS ID: 0152 (ISRAEL)

Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; quantitative; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL – Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA -Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA -Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

The information in this (Material) Safety Data Sheet ("(M)SDS") is believed to be current and accurate as of the time of shipment of the product by Entegris. Entegris makes no warranties, express or implied, with respect to such information, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. Entegris assumes no liability for any loss or injury which may result from the use of the information contained in this (M)SDS. The chemical, physical and toxicological properties of the Entegris product described in this (M)SDS have not been thoroughly investigated. Users are responsible for exercising due care in using the Entegris product, and for conducting their own investigation to determine whether the product is fit for their particular purpose and suitable for their method of use or application. It is the user's responsibility to ensure that its activities comply with all applicable laws and regulations. Entegris is a registered trademark of Entegris Inc. or an affiliated company. © 2015 Entegris Inc. or affiliated company. All rights reserved.

The information contained in this sheet is based on the best knowledge and experience currently available.