

Material Name: Silicon Carbide Infiltrated/Coated Graphite SDS ID: 0145 (TAIWAN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Material Name

Silicon Carbide Infiltrated/Coated Graphite

Product Use

Semiconductor and industrial applications

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

Entegris, Inc.

129 Concord Road

Building 2

Billerica, MA 01821

USA

Telephone Number: +1-952-556-4181

Telephone Number: +1-800-394-4083 (toll free within North America)

製造者、輸入者或供應者名稱、地址及電話:

美商英特格有限公司台灣分公司

30059新竹市水利路81號4樓之7

03-5710178 (代表號)

緊急聯絡電話/傳真電話:

0800-057-119

00801-14-8954(CHEMTREC)

03-5729520(傳真)

+1-703-527-3887 (國際)

E-mail: Product.stewardship@entegris.com

SECTION 2: Hazards identification

GHS Classification

None needed according to classification criteria.

Label elements

Hazard symbols

None needed according to classification criteria.

Signal word

None needed according to classification criteria

Hazard statements

None needed according to classification criteria.

Precautionary statements

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.



Material Name: Silicon Carbide Infiltrated/Coated Graphite

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SDS ID: 0145 (TAIWAN)

Other Hazards Which Do Not Result in Classification

None known.

SECTION 3: Composition / information on ingredients

CAS	Component Name	Hazardous ingredients (% of the content)		
7782-42-5	Graphite	90-99		
409-21-2	Silicon carbide	1-10		

Impurities and stabilizing additives contributing to the GHS Classification

None

SECTION 4: First aid measures

Description of Necessary Measures

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin contact

Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

Eye contact

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Symptoms: Immediate

No information on significant adverse effects.

Symptoms: Delayed

No information on significant adverse effects.

Protection of first-aiders

Wear suitable protective clothing. Perform first aid measures in a safe area.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

Suitable extinguishing media

Use extinguishing agents appropriate for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

Negligible fire hazard.

Protective Equipment and Precautions for Firefighters



Material Name: Silicon Carbide Infiltrated/Coated Graphite

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

SDS ID: 0145 (TAIWAN)

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Dike for later disposal.

Hazardous combustion products

oxides of carbon, oxides of silicon

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protective clothing and equipment. Minimize dust generation and accumulation. Keep unnecessary people away, isolate hazard area and deny entry. Provide adequate ventilation. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Non-sparking tools should be used when working with dust. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Environmental precautions

Avoid release to the environment.

Methods for Containment

Keep unnecessary people away, isolate hazard area and deny entry. If sweeping of a contaminated area is necessary, use a dust suppressant agent. Collect spill using a vacuum cleaner with a HEPA filter or wet and scoop up dry spills. Avoid sweeping spilled dry material. Eliminate ignition sources including sources of electrical, static or frictional sparks. Keep out of water supplies and sewers. Prevent entry into waterways, sewers, basements, or confined areas. Avoid accumulation of airborne dusts. Small spills: Move containers away from spill to a safe area. Vacuum or sweep up material and place in a designated, labeled waste container. Large spills: If emergency personnel are unavailable vacuum or carefully scoop up spilled materials and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

None needed according to classification criteria.

Store in accordance with all current regulations and standards. Store in a well-ventilated area. Keep container tightly closed. Store in a cool, dry place. Maintain graphite blocks in stable position. Any machine generated dust should be maintained in closed container. Maintain blocks as shipped, no specific handling or storage identified. Keep separated from incompatible substances. Follow MSDS and warning labels even when containers are empty.

Incompatible Materials

oxidizing materials

SECTION 8: Exposure controls/personal protection

Expo	sure (Guid	elines	
Comp	poner	t Ex	posure	Limits

Page 3 of 9 Issue date: 2017-11-29 Revision 2.0 Print date: 2017-11-29



Material Name: Silicon Carbide Infiltrated/Coated Graphite

Graphite	7782-42-5
ACGIH:	2 mg/m3 TWA (all forms except graphite fibers) respirable particulate matter
Silicon carbide	409-21-2
ACGIH:	$10~mg/m3~TWA$ nonfibrous, inhalable particulate matter, particulate matter containing no asbestos and $<1\%$ crystalline silica ; $3~mg/m3~TWA$ nonfibrous, respirable particulate matter, particulate matter containing no asbestos and $<1\%$ crystalline silica ; $0.1~fiber/cm3~TWA$ (as determined by the membrane filter method at $400\text{-}450X$ magnification (4-mm objective), using phase-contrast illumination) respirable fibers, including whiskers, length $>5~\mu\text{m}$, aspect ratio $>=3:1$

SDS ID: 0145 (TAIWAN)

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Appropriate engineering controls

Provide local exhaust or process enclosure ventilation system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Eye/face protection

Wear safety glasses.

Skin and Body Protection

Wear appropriate chemical resistant clothing.

Hand protection

Wear appropriate chemical resistant gloves.

Respiratory Protection

SCBA with full face piece should be available in case of emergency.

Hygiene Measures

Use in accordance with good industrial hygiene practices.

SECTION 9: Physical and chemical properties

Appearance	greenish-gray to silver solid	Physical State	solid			
Odor	odorless	Color	greenish-gray to silver			
Odor Threshold	Not available	pН	Not available			
Melting Point	Not available	Boiling Point	Not applicable			
Boiling Point Range	Not available	Freezing point	Not available			
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable			
Autoignition Temperature	Not available	Flash Point	(Not flammable)			

Page 4 of 9 Issue date: 2017-11-29 Revision 2.0 Print date: 2017-11-29



SDS ID: 0145 (TAIWAN)

Material Name: Silicon Carbide Infiltrated/Coated Graphite

Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	(Insoluble)	Partition coefficient: n- octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	2.3 - 2.8 g/cc
Physical Form	solid	Sublimation	3650 °C
Molecular Weight	Not available		

SECTION 10: Stability and reactivity

Reactivity

No reactivity hazard is expected.

Chemical stability

Stable at normal temperatures and pressure.

Possibility of hazardous reactions

Will not polymerize.

Conditions to avoid

Avoid accumulation of airborne dusts. Avoid contact with incompatible materials.

Materials to Avoid (Incompatibilities)

oxidizing materials

Hazardous decomposition products

Thermal decomposition products

oxides of carbon, oxides of silicon

SECTION 11: Toxicological information

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Acute Toxicity Estimate

No data available.

Inhalation

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Immediate Effects

Page 5 of 9 Issue date: 2017-11-29 Revision 2.0 Print date: 2017-11-29



SDS ID: 0145 (TAIWAN)

Material Name: Silicon Carbide Infiltrated/Coated Graphite

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Carcinogenicity

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Mutagenic Data

No data available for the mixture.

Reproductive Effects Data

No data available for the mixture.

Tumorigenic Data

No data available for the mixture.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

SECTION 12: Ecological information

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No data available for the mixture.

Bioaccumulative potential

No data available for the mixture.

Mobility in Environmental Media

No data available for the mixture.

Other Ecological Information

None

SECTION 13: Disposal considerations

Disposal Methods

Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

IATA Information:

UN#: Not regulated

ICAO Information:



Material Name: Silicon Carbide Infiltrated/Coated Graphite

UN#: Not regulated

IMDG Information: UN#: Not regulated

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

SDS ID: 0145 (TAIWAN)

Special precautions

None

SECTION 15: Regulatory information

Taiwan Regulations

Toxic Chemical Substances Control Act

No component(s) of this product are identified in the Toxic Chemical Substances Control Act.

Surface Water Body Classification and Water Quality Standards

No components of this material are listed.

Effluent Discharge Standards

No component(s) of this product are identified in the Effluent Discharge Standards.

Waste Disposal Act - TCLP Leaching Standards

No component(s) of this product are identified in the Waste Disposal Act.

Agro-pesticide Management Act

None of this product's components are on the list.

Hazard Prevention Standard for Specified Chemical Substances

No component(s) of this product are identified in the Hazard Prevention Standard for Specified Chemical Substances.

Ozone Depleting Substances

No component(s) of this product are identified on the Ozone Depleting Substances list.

Component Analysis - Inventory

Graphite (7782-42-5)

US	CA	EU	A U	РН	JP - ENC S	JP - ISH L	KECI -	-	KR - REAC H CCA	CN	NZ	M X	T W	VN (Draft
Ye s	DS L	EI N	Ye s	Ye s	No	No	Yes	No	No	Ye s	Ye s	Ye s	Ye s	Yes

Silicon carbide (409-21-2)

US	CA	EU	A U	РН	JP - ENC S	JP - ISH L	KECI - Anne	-	KR - REAC H CCA	CN	NZ	M X	T W	VN (Draft
Ye s	DS L	EI N	Ye s	Ye s	Yes	Yes	Yes	No	No	Ye s	Ye s	Ye s	Ye s	Yes



Material Name: Silicon Carbide Infiltrated/Coated Graphite SDS ID: 0145 (TAIWAN)

SECTION 16: Other information

NFPA Ratings

Health: 0 Fire: 0 Reactivity: 0

Hazard Scale: $0 = Minimal \ 1 = Slight \ 2 = Moderate \ 3 = Serious \ 4 = Severe$

Summary of Changes

11/29/2017 - Update to Section(s) 3. Section 3 update: Replaced CAS #7440-44-0 with CAS #7782-42-5.

Issue date

11/29/2017

Organization that prepared SDS

Entegris

Issue person

Steven Huang -EH&S Supervisor, EH&S (+886.688.3887); Steven_Huang@entegris.com

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; quantitative; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA -Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA -Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Page 8 of 9 Issue date: 2017-11-29 Revision 2.0 Print date: 2017-11-29



Material Name: Silicon Carbide Infiltrated/Coated Graphite

The information in this Safety Data Sheet ("SDS") is believed to be current and accurate as of the time of shipment of the product by Entegris. Entegris makes no warranties, express or implied, with respect to such information, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. Entegris assumes no liability for any loss or injury which may result from the use of the information contained in this SDS. The chemical, physical and toxicological properties of the Entegris product described in this SDS have not been thoroughly investigated. Users are responsible for exercising due care in using the Entegris product, and for conducting their own investigation to determine whether the product is fit for their particular purpose and suitable for their method of use or application. It is the user's responsibility to ensure that its activities comply with all applicable laws and regulations. Entegris is a registered trademark of Entegris Inc. or an affiliated company. © 2015 Entegris Inc. or affiliated company. All rights reserved.

SDS ID: 0145 (TAIWAN)