

# 疏水性 混合纤维素膜

增强型空气过滤膜

我们的疏水性混合纤维素膜以抵抗水以及低表面张力的油类物质。支撑层保证了加工强度,易于冲切加工成不同的形状,满足各种应用需求并方便焊接加工到过滤器。

产品已通过生物安全性测试。

## 应用

- 通气
- 进气
- 阻水
- 疏油
- 气体过滤
- 超声焊接
- 机械压合
- 热熔焊接

## 产品特点

特别甄选的混合纤维素材质	易于裁切加工成不同形状
无纺布支撑	提供高机械强度
微孔膜基材	良好的气体颗粒滤除性能
疏水疏油处理	可拒多种液体
通过生物安全性评估 (GB8368)	符合法规要求




## 规格

类型	TYPE I	TYPE II
膜材质		MCE
支撑体材质		PET
孔径		0.45 $\mu\text{m}$
厚度		180 $\mu\text{m}$
空气流量 @ 10 kPa	$\geq 36 \text{ mL/min mm}^2$	$\geq 28 \text{ mL/min mm}^2$
阻水		15 kPa, 15 min
滤除率 @ 0.5 $\mu\text{m}$		$\geq 95\%$
耐化学性能*		$\geq 7$

\*根据AATCC118: 拒油性:碳氢化合物的阻抗测试

## 订购信息

Hydrophobic MCE Membrane: part number



卷膜, 方膜, 片膜尺寸可定制, 请联系Entegris销售代表, 或是致电客服热线 (如下方所示)。

### 欲知更多信息

请致电 Entegris 中国客户服务中心, 了解我们如何帮您解决制造挑战。请访问 [entegris.com](https://www.entegris.com) 并选择“[联系我们](#)”链接, 找到您附近的客户服务中心。

### 销售条款与条件

所有采购须遵守 Entegris 的“销售条款与条件”。如欲查看、打印此信息, 请访问 [entegris.com](https://www.entegris.com) 并选择页脚中的“[条款与条件](#)”链接。



杭州安诺过滤器材有限公司 (Entegris 子公司)  
杭州市西湖区余杭塘路 1001 号花蒋天街商业  
中心 2 号楼 801-804, 310030

### 客服热线

Tel +86 571 2829 3680  
Fax +86 571 2829 4168

Entegris®, the Entegris Rings Design®, and other product names are trademarks of Entegris, Inc. as listed on [entegris.com/trademarks](https://www.entegris.com/trademarks). All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2023-2024 Entegris, Inc. | All rights reserved. | 9000-11685ENT-0424